








**Price increase +1,5 % as of April 1st, 2021
for the complete range of Zehnder ComfoAir E350**









Zehnder ComfoAir E350

Prices 2021 – Sales International



| Comfort ventilation unit | | | | |
|--|---|---|----------------------|-------------------|
| Product | Description | Article no. | Gross price € | Discount group |
| ComfoAir E350 | | | | |
|   Passive house certified | ComfoAir E350 comfort ventilation unit 350 m ³ /h (150 Pa) air volume flow, cross-counterflow heat exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D) |  | | |
| | ComfoAir E 350 L with supply air connector, left ComfoAir E 350 R with supply air connector, right | 471 508 115 471 508 120 | 2,407.70 2,407.70 | C C |
| | ComfoAir E350 V comfort ventilation unit 350 m ³ /h (150 Pa) air volume flow, cross-counterflow heat exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, with pre-heater , without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D) |  | | |
| | ComfoAir E350 VL with supply air connector, left ComfoAir E350 VR with supply air connector, right | 471 508 125 471 508 130 | 2,664.00 2,664.00 | C C |
| | ComfoAir E350 enthalpy comfort ventilation unit 350 m ³ /h (150 Pa) air volume flow, cross-counterflow enthalpy exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D) |  | | |
| | ComfoAir E 350 L enthalpy with supply air connector, left ComfoAir E 350 R enthalpy with supply air connector, right | 471 508 220 471 508 215 | 2,999.00 2,999.00 | C C |
| | ComfoAir E350 enthalpy comfort ventilation unit 350 m ³ /h (150 Pa) air volume flow, cross-counterflow enthalpy exchanger with automatic 100% summer by-pass, wall-mounted or floor-mounted using an optional base mount, with pre-heater , without three-stage switch, display operation possible Dimensions: 725 x 870 x 560 mm (W x H x D) |  | | |
| | ComfoAir E 350 VL enthalpy with supply air connector, left ComfoAir E 350 VR enthalpy with supply air connector, right | 471 508 230 471 508 225 | 3,199.00 3,199.00 | C C |

* Energy efficiency classes in accordance with EU Regulation no. 1254/2014.
 The energy efficiency class applied when the unit is used with manual control.
 Further information is available at www.international.zehnder-systems.com

| Comfort ventilation unit | | | | |
|---|--|-------------|------------------|-------------------|
| Product | Description | Article no. | Gross price € | Discount group |
| ComfoAir E350 accessories | | | | |
|  | Three-stage switch, in-wall, with 0 position for ComfoAir E350, ComfoD 200, 180, 160 | 990 210 154 | 73.10 | C |
|  | Three-stage switch, in-wall, without 0 position for ComfoAir E350, ComfoD 200, 180, 160 | 659 000 120 | 62.30 | C |
| | Three-stage switch, in-wall, without 0 position, with fault indication for ComfoAir E350, ComfoD 200, 180, 160 | 659 000 300 | 94.70 | C |
|  | Surface-mounted housing for three-stage switch for ComfoAir E350, ComfoD 200, 180, 160 suitable for 990 201 154 | 990 210 155 | 28.20 | C |
| | Surface-mounted housing for three-stage switch for ComfoAir E350, ComfoD 200, 180, 160 suitable for 659 000 120 and 659 000 300 | 659 000 200 | 15.20 | C |
|  | Remote controlled RF control panel required accessories: RF board | 655 000 755 | 111.50 | C |
| | RF board for RF control panels | 655 000 762 | 54.70 | C |
|  | ComfoAir E350 mounting base | 471 502 008 | 153.90 | C |
|  | Dry siphon 5/4" for ComfoAir E350 | 990 201 330 | 50.60 | C |
|  | Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) 2 pieces | 400 502 012 | 40.90 | B |
| | Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) / ISO ePM1 ≥ 65% (F7) contents 2 pieces | 400 502 013 | 44.20 | B |
|  | Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) 10 pieces | 400 502 014 | 183.10 | B |
| | Filter set for ComfoAir E350 ISO Coarse ≥ 65% (G4) / ISO ePM1 ≥ 65% (F7) contents 10 pieces | 400 502 015 | 214.40 | B |

